

(30)

**CORRIGENDUM**

Prasar Bharati  
( Broadcasting Corporation of India )  
Directorate General: All India Radio

File No. 14/18/2011- S IV(A) 165

Dated: 12.04.2012


Subject: Issue of Corrigendum replacing the word 'B' in the 2<sup>nd</sup> bottom line.

In continuation to this Directorate's letter No. 14/18/2011-SIV(A)41 dated 09.02.2012 on the above subject and to state that there is a typographical error in the 2<sup>nd</sup> bottom line of the above quoted letter. The word may be read as 4 'A'.

This is for information, record and strict compliance.

  
(Anu Kalra) 12/14/12  
Dy. Director Admin.(E)  
For Director General.

1. O/o the ADG(E) (NZ), (Kind attn:- Sh. B.B.Joshi, DE) AIR and Doordarshan, Jamnagar House, Shahjahan Road, New Delhi -110 011.
2. O/o the ADG(E) (WZ), (Kind attn:- Ms. Neha Swamy, DE) AIR and Doordarshan, Old CGO Complex, 101, M.K.Road, MUMBAI-400 020.
3. O/o the ADG(E) (EZ), (Kind attn:- Sh. P.P. Paul, DE) AIR and Doordarshan, 4<sup>th</sup> Floor, Akashvani Bhavan, Eden Garden, Kolkata-700 001.
4. O/o the ADG(E) (SZ), (Kind attn:- Sh. S.Muthuswamy, DE), AIR and Doordarshan, Swami Sivananda, Salai, CHENNAI-600 005
5. O/o ADG(E) (NEZ), (Kind attn:- Sh. R. Ghosh Dastidar, DE) AIR and Doordarshan, 2<sup>nd</sup> & 3<sup>rd</sup> Floor, Ganeshguri Flyover, P. Kakoti's Building, G.S.Road, Dispur, GUWAHATI-781006.

AL  


Prasar Bharati  
( Broadcasting Corporation of India )  
Directorate General: All India Radio

File No. 14/18/2011- S IV(A) 41

Dated: 08.02.2012

Subject:-Fixation of basic pay in the pay scale of Rs.7450-11500 for those Engineering Assistant whose basic pay has not touched Rs.7450/- as on 01.01.2006.

....


The Directorate has been receiving requests from various All India Radio Stations/Employees in the Cadre of Engineering Assistant seeking clarification on the above subject.


The matter has been examined in consultation with Inspector of Accounts in the DG:AIR and it may be clarified that as per 6<sup>th</sup> Pay Commission, Revised Pay Rules-2008, under Note 2-A, Rule 7 "where a post has been upgraded as a result of the recommendation of the 6<sup>th</sup> CPC as indicated in Part B and Part C of the First Schedule to these rules the fixation of pay in the applicable pay band will be done in the manner prescribed in accordance with Clause (A) (i) and (ii) of Rule 7 by multiplying the existing basic pay as on 01.01.2006 by a factor of 1.86 and rounding the resultant figure to the next multiple of ten. The Grade Pay corresponding the upgraded scale as indicated in Column 6 of Part B or C will be payable in addition. Illustrations 4 B in this regard is in the Explanatory Memorandum to these Rules."

  
(Anu Kalra)

Dy. Director Admn.(E)  
For Director General.

1. O/o the ADG(E) (NZ), (Kind attn:- Sh. B.B.Joshal,DE) AIR and Doordarshan, Jamnagar House, Shahjahan Road, New Delhi -110 011.
2. O/o the ADG(E) (WZ), (Kind attn:- Ms. Neha Swamy,DE) AIR and Doordarshan, Old CGO Complex,101, M.K.Road,MUMBAI-400 020.
- 3.O/o the ADG(E) (EZ), (Kind attn:- Sh.P.P.Paul,DE) AIR and Doordarshan, 4<sup>th</sup> Floor, Akashvani Bhavan, Eden Garden, Kolkata-700 001.
4. O/o the ADG(E) (SZ), (Kind attn:- Sh. S.Muthuswamy,DE), AIR and Doordarshan, Swami Sivananda, Salai,CHENNAI-600 005
5. O/o ADG(E) (NEZ), (Kind attn:- Sh. R. Ghosh Dastidar,DE) AIR and Doordarshan, 2<sup>nd</sup> & 3<sup>rd</sup> Floor, Ganeshguri Flyover, P. Kakoti's Building, G.S.Road, Dispur, GUWAHATI-781006.





**THROUGH AIR NET**

Prasar Bharati  
Broadcasting Corporation Of India  
Office of the Additional Director General (Engineering) (NZ)  
Jamnagar House, Shahjahan Road,  
New Delhi-110011

H-11/16/2011/EPC

Date: 06.07.2012

**CIRCULLER**

**Subject;** Fixation of basis pay in the pay scale of Rs. 7450-11500 for those Engineering Assistant whose basis pay has not touched Rs. 7450/- as on 01.01.2006.


**Reference :** i) DG letter no. 14/18/2011-S IV (A) 41 dated 09.02.2012  
ii) DG. Letter no.14/18/2011-SIV(A)165 dated 12.04.2012

Please find enclosed herewith a copy of DG, AIR letters given under reference for compliance. During implementation of this order, all orders/circulars issued by DOPT/ Directorate on this subject may also be kept in consideration to avoid any complications in future.

Encls : as above

  
(Suresh Kumar)  
Dy. Director (Engg.)  
for ADG(Eng.)(NZ)

To,  
All Head of Office of Stations in North Zone  
Copy to:- Engineering Heads of All Stations in North Zone for information.

  
for ADG(Eng.)(NZ)